



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
--------------------	---------------------	-----------------------	------------------------

09/934,047

08/22/2001

Barry M. Epstein



CONFIRMATION NO. 7788

FORMALITIES LETTER



OC00000006780364

Terry M. Gernstein
1015 Salt Meadow Lane
McLean, VA 22101

Date Mailed: 09/24/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - Drawings must be reasonably free from erasures and must be free from alterations, overwritings, interlineations, folds, and copy marks.
 - drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper which is flexible, strong, white, smooth, non-shiny, and durable (see 37 CFR 1.84(e));

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY

#3
03C0

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


Applicant: Epstein, Barry

Serial No: 09/934,047

Filed: 08/22/2001

Title: SYSTEM FOR PROTECTING A PERSON
FROM THE EFFECTS OF ESD

Art Unit: 2836



Hon. Commissioner of Patents and Trademarks
Washington, D.C. 20231

Sir:

RESPONSE

In response to the Office Action dated 09/24/01, please
amend the above-identified patent application as follows.

IN THE SPECIFICATION:

Please enter the enclosed drawings into the file of the
application.

REMARKS


The Office Action dated 09/24/01 has been carefully
reviewed.

The Office Action required drawings that met the
requirements set forth by the Chief Draftsman.

Enclosed are new drawings that meet the requirements set
forth in the Office Action.

In view of the foregoing amendments and remarks, it is
believed that this application is now in condition for an
examination on the merits. Accordingly, review and allowance are
requested.

Respectfully submitted,


Terry M. Gernstein

1015 Salt Meadow Lane
McLean, VA 22101
(703) 790-5945
November 19, 2001